



Appendix 3.3 – Rare, threatened and significant species of the Kent and Medway Local Nature Recovery Strategy area requiring further evidence

Introduction

The Kent and Medway Local Nature Recovery Strategy development process requires a focussed list of priority species, identified as the species in most urgent need amongst other considerations. Selection of these species followed a process, guided by Natural England, which is outlined in Part One, section 5.7 of the Strategy document.

The county's rare, threatened and significant species were assessed to determine which of the species the Local Nature Recovery Strategy could best support – species were excluded when identified as requiring better evidence/understanding before necessary action can be determined.

This appendix lists the county's species falling into this bracket, so that they remain highlighted – and it is noted that exclusion does not mean they are not a priority, but rather the county is lacking in understanding of their presence and distribution and therefore unable to determine or target measures for their recovery.

Click on the links below to view the rare, threatened and significant species of the Kent and Medway Strategy area identified as requiring further evidence.

[Bees Wasps and Ants](#)

[Beetles](#)

[Birds](#)

[Butterflies](#)

[Caddisflies](#)

[Fish](#)

[Fungi](#)

[Grasshoppers, Crickets and Allies](#)

[Lichens](#)

[Mammals](#)

[Mayflies](#)

[Molluscs](#)

[Moths](#)

[Spiders](#)

[True Bugs](#)

[Vascular Plants](#)

Bees, Wasps and Ants

- *Andrena denticulata*
- *Anergates atratulus*
- *Bombus subterraneus*
- *Cerceris quinquefasciata*
- *Crossocerus exiguus*
- *Eucera longicornis*
- *Odynerus melanocephalus*



Beetles

- *Acentrotypus brunnipes*
- *Aploderus caelatus*
- *Bracteon argenteolum*
- *Caenocara bovistae*
- *Cryptocephalus coryli*
- *Cryptocephalus punctiger*
- *Diachromus germanus*
- *Dryops auriculatus*
- *Eubria palustris*
- *Halobrecta princeps*
- *Hydraena palustris*
- *Laccophilus poecilus*
- *Lionychus quadrillum*
- *Macroplea mutica*
- *Malachius aeneus*
- *Melanapion minimum*
- *Meloe rugosus*
- *Meloe violaceus*
- *Micropeplus tesserula*
- *Mordella holomelaena*
- *Mordella leucaspis*
- *Mycetophagus populi*
- *Nemozoma elongatum*
- *Ochrosis ventralis*
- *Ophonus laticollis*
- *Panagaeus cruxmajor*
- *Philonthus ebeninus*
- *Phyllodrepa puberula*
- *Polydrusus marginatus*
- *Proteinus atomarius*
- *Psylliodes attenuata*
- *Saprinus virescens*
- *Stenelmis canaliculata*
- *Tachyura walkeriana*
- *Zeugophora flavicollis*



Birds

- Black Redstart
- Cattle Egret
- Cirl Bunting
- Corncrake
- Fulmar
- Goshawk
- Grey Heron
- Hawfinch
- Herring Gull
- House Sparrow
- Lesser Black-backed Gull
- Lesser Redpoll
- Little Egret
- Little Owl
- Long-eared Owl
- Raven
- Red Kite
- Red-billed Chough
- Snipe
- Spotted Flycatcher



Butterflies

- Grayling
-

Caddisflies

- *Grammotaulius nitidus*
 - *Leptocerus interruptus*
 - *Ylodes reuteri*
-

Fish

- *Acipenser sturio*
-

Fungi

- *Cortinarius rubicundulus*
- *Cudonia confusa*
- *Fomitiporia robusta*
- *Geastrum quadrifidum*
- *Gloeophyllum trabeum*
- *Gloeoporus dichrous*
- *Gyrodon lividus*
- *Hyalopsora adianti-capilli-veneris*
- *Hypocreopsis lichenoides*
- *Mensularia nodulosa*
- *Phellodon melaleucus*
- *Pithya cupressina*
- *Psathyrella caput-medusae*
- *Psathyrella maculata*
- *Pycnoporus cinnabarinus*



Grasshoppers, crickets and allies

- *Acheta domesticus*
 - *Apterygida media*
 - *Gryllotalpa gryllotalpa*
-

Lichens

- *Caloplaca flavorubescens*
 - *Caloplaca luteoalba*
 - *Chaenothecopsis caespitosa*
 - *Chaenothecopsis savonica*
 - *Cryptolechia carneolutea*
 - *Enchylium bachmanianum*
 - *Lecanora quercicola*
 - *Lemmopsis arnoldiana*
 - *Pertusaria pustulata*
 - *Pyrenula nitida*
 - *Ramboldia insidiosa*
 - *Teloschistes chrysophthalmos*
 - *Teloschistes flavicans*
 - *Usnea esperantiana*
 - *Varicellaria velata*
-

Mammals

- Barbastelle
 - Greater horseshoe
 - Grey Long-eared Bat
 - Lesser horseshoe
 - Mouse-eared Bat
 - Nathusius's Pipistrelle
 - Pine Marten
-

Mayflies

- *Siphonurus armatus*
-

Molluscs

- *Anisus vorticulus*
 - *Omphiscola glabra*
 - *Succinella oblonga*
 - *Vertigo moulinsiana*
-

Moths and Macro Moths

Moths

- *Monochroa niphognatha*
- *Setina irrorella*
- *Tyta luctuosa*

Macro moths

- Clay fan-foot *Paracolax tristialis*
 - Common fan-foot *Pechipago strigilata*
 - Heart moth *Dicycla oo*
 - Scarce Chocolate-tip *Clostera anachoreta*
 - Silver-barred *Deltote bankiana*
-

Spiders

- *Acartauchenius scurrilis*
 - *Araniella displicata*
 - *Attulus caricis*
 - *Bassaniodes robustus*
 - *Clubiona frisia*
 - *Cozyptila blackwalli*
 - *Dictyna pusilla*
 - *Dipoena erythropus*
 - *Enoplognatha oelandica*
 - *Lasaeola prona*
 - *Monocephalus castaneipes*
 - *Talavera thorelli*
-

True Bugs

- *Chlorochroa juniperina*
- *Eurydema dominulus*
- *Eysarcoris aeneus*
- *Hallodapus montandoni*
- *Ischnodemus quadratus*
- *Monosynamma maritimum*
- *Ortholomus punctipennis*
- *Pachybrachius luridus*
- *Phytocoris insignis*
- *Pilophorus confusus*
- *Tingis angustata*



Vascular plants

- *Allium oleraceum*
- *Arabis glabra*
- *Bromus interruptus*
- *Dianthus deltoides*
- *Filago lutescens*
- *Frankenia laevis*
- *Hieracium pollichiae*
- *Hypopitys monotropa*
- *Iberis amara*
- *Illecebrum verticillatum*
- *Orobanche purpurea*
- *Ranunculus tripartitus*
- *Stellaria palustris*
- *Stratiotes aloides*
- *Taraxacum hygrophilum*
- *Tephrosieris integrifolia*
- *Vicia parviflora*
- *Wolffia arrhiza*

